

FIG. 1






FIG. 4

This exploded perspective view illustrates the assembly of a medical device. The main components include:

- 30**: A central cylindrical body with a top flange **32** and a bottom flange **31**.
- 34**: A top cap or seal.
- 36**: A ring or gasket.
- 38**: A small circular component.
- 50**: A diamond-shaped component.
- 52**: A curved, hook-like component.
- 54**: A circular component with internal patterns.
- 56**: A small circular component.
- 62**: A small component at the end of the curved part **52**.
- 74**: A circular component with a central opening.
- 76**: A ring or gasket.
- 80**: A curved component with a central opening.
- 82**: A small cylindrical component.
- 84**: A small component.
- 86**: A small component.
- 88**: A small component.
- 90**: A small component.
- 102**: A small cylindrical component.
- 108**: A small component.
- 110**: A small component.
- 120a**: A small ring or gasket.
- 120b**: A small ring or gasket.
- 120c**: A small ring or gasket.
- 122**: A small component.
- 122a**: A small component.
- 122b**: A small component.
- 124**: A small component.
- 126**: A small component.
- 130**: A small component.

The assembly is shown in a disassembled state, with various components labeled with reference numerals. The components are arranged in a way that suggests their relative positions and how they fit together. The labels are as follows:

- 30, 31, 32, 34, 36, 38, 50, 52, 54, 56, 62, 74, 76, 80, 82, 84, 86, 88, 90, 102, 108, 110, 120a, 120b, 120c, 122, 122a, 122b, 124, 126, 130.






FIG. 5




FIG. 6




FIG. 7




FIG. 8

